




ELIT

Freestanding air-termination pole set V2A-Alu

Flange plate:



Freestanding air-termination set V2A-Alu 6.0m w/concrete foundation

Technical description

Freestanding 3-part air-termination set made of stainless A2 steel and aluminum with concrete foundation. Length of lightning arrester is 6.0 meters.
Multi-component system that can be plugged together with screw fastening. Includes concrete foundation with fixing anchor and multi-clamp part. The interception branch is tapered and goes from ϕ 60 mm to ϕ 16 mm.

Mast/tube: stainless A2 steel, interception tip in aluminum.

Total height with concrete foundation: 6.5 meters

Connection: ϕ 8-10 mm

Concrete foundation: ϕ 0.96 m, 0.5 m height with surface reinforcement

Max. wind speed:

Wind zone 2, up to 150 km/h.

Weight concrete foundation: approx. 854 kg

Total weight: approx. 879 kg

Advantages:

Freestanding air-termination pole in weather-resistant materials

Multi-component system that can be plugged into each other, 3-part

Concrete foundation that keeps the arrester stable, ϕ 960 mm

Includes concrete foundation with fixing anchor and multi-clamp part



Product name/ Art.nr/ GTIN	ELIT FLOF-V2A-AL-6M-BETONG/ 40150124/ 7070810032303
According to:	DIN EN62561-1, DIN EN62561-2
Length	6000 Millimetre
Diameter	60 - 16 Millimetre
Model	Interception rod with tripod
Material	Aluminium/stainless steel 304 (V2A)
Surface protection	Hot-dip galvanized
Connection	Round conductor