



ELIT MASSIV-GALV-100M

Massive round galvanized steel conductor

Uninsulated solid conductor in galvanized steel Ø8mm cross section
50mm² (100 meters)

Technical description

Steel, hot-dip galvanized (Z 350) - ø 8 mm - 40 kg for use as air termination conductor or down conductor.

Galvanization: Minimum weight ~ 350 g/m²; Coating thickness = 50 µm (average value)

Cross section: 50 mm²

Short-circuit current (50 Hz), 1 s, = 300 °C: 3.5 kA

1 coil approx. 100 m

Advantages:

Solid round galvanized steel conductor that is easy to handle

Diameter Ø8mm / cross-section 50mm²

Suitable for many different fasteners and clamps

Sold in bundles/coils of 100 meters



Product name/ Art.nr/ GTIN	ELIT MASSIV-GALV-100M/ 40160009/ 7070811204211
According to:	EN 62561-2
Diameter conductor	8 Millimetre
Conductor cross section	50 Square millimetre
Outer diameter incl. sheat/cover	8 Millimetre
Conductor category	Class 1 = solid
Number of strands	1
Conductor material	Steel
Material quality conductor	Other
Characteristic conductor material	Half hard
Surface protection	Galvanic/electrolytic zinc plated
Sheathing material	Other
Colour	Grey
Material insulation	Other
Weight	40 Kilogram per 100 metres