



# ELIT

## Uninsulated solid conductor in acid-resistant

Uninsulated solid conductor in stainless steel (V4A) Ø8mm  
cross-section 50mm<sup>2</sup> (100 meters)

### Technical description

Solid round uninsulated conductor made of stainless steel (V4A) with diameter Ø8 mm and cross-section 50mm<sup>2</sup>.  
Can be used as a down conductor or conductor in lightning protection systems.  
Supplied in bundles/coils of approx. 100 meters.  
Total weight: approx. 40 kg.

### Advantages:

Solid uninsulated conductor made of stainless steel (V4A) for a variety of applications  
Easy to handle and shape as desired  
Can be used in a wide range of fasteners  
Sold in coils of 100 meters (approx. 40 kg)



Product name/ Art.nr/ GTIN	ELIT UISOLERT-ML-V4A-Ø8-100M/ 40160038/ 7070810038879
According to:	EN 62561-2
Diameter conductor	8 Millimetre
Conductor cross section	50 Square millimetre
Outer diameter incl. sheat/cover	8 Millimetre
Conductor category	Class 1 = solid
Number of strands	1
Conductor material	Stainless steel
Material quality conductor	Stainless steel 316 (V4A)
Characteristic conductor material	Other
Surface protection	Other